FOX CANYON GROUNDWATER MANAGEMENT AGENCY

800 S. Victoria Avenue | Ventura, CA 93009-1610 | Tel: (805) 654-2014 | FCGMA-GSP@ventura.org



Project Evaluation Checklist

BACKGROUND INFORMATION				
Project Name:	Installation	n of Transducers in Groundwater Monitoring Wells		
Purpose of Project:		Data Gaps		
Project Type:		Project Update		
Sponsoring Agency: Fox		Canyon Groundwater Management Agency		
Groundwater Basin:		Pleasant Valley Basin		
Location:		Key wells in the Pleasant Valley Basin		
	The project proposes installing transducers in key wells to address data gaps that			
Project Description:	impact uncertainty in water management identified in the GSP.			
Implementation Trigger (if applicable):		N/A		
Evaluation Criteria		Response (Applicant to Complete)		
Water Supply				
Annual increase in Sustainable Yield (AFY):		N/A		
Annual increase in supplemental water in lieu of pumping (AFY):		N/A		
Groundwater demand reduction (AFY):		N/A		
		Groundwater Levels, Groundwater in Storage, Groundwater		
Sustainability indicators addressed:		Quality, Subsidence		
Project documentation included?		Yes		
Timing/Feasibility				
Project Implementation Timeframe				
Current Project status:		Conceptual - no feasibility or design		
Estimated time to Project completion (years):		2 years, depending on funding		
Timeline / feasibility documentation included?		No		
Environmental				
CEQA/NEPA type:		Not Applicable		
Status of CEQA/NEPA review and permitting:		Not applicable		
Will the Project likely be permitted?		Yes		
Sensitivity of location:		Low - located on existing agricultural or developed land.		
Permitting				
Permits required:		None		
Status / time required:		N/A		
Likelihood of Project being permitted:		High		

Page 1 of 3 rev. 8/29/2023

FOX CANYON GROUNDWATER MANAGEMENT AGENCY

800 S. Victoria Avenue | Ventura, CA 93009-1610 | Tel: (805) 654-2014 | FCGMA-GSP@ventura.org



Project Evaluation Checklist

Project Complexity	
Does the Project use new technology:	No
Does the Project require land acquisition:	No
Status of the land acquisition process:	Not required or all acquisitions and/or easments complete
Is the Project dependent on other unbuilt or unfunded	
projects:	No
Is the Project dependent on funded projects currently	
under construction:	No
Description of Operation and Maintenance (if an aliceble)	Cables and connections will need to be checked at every
Description of Operation and Maintenance (if applicable):	download. Transducers will require periodic replacement.
Project Lifespan	20 years or until better technology is available
What is the projected lifespan of the Project:	30 years, or until better technology is available.
Project Phasing Please provide documentation of anticipated project phasing, inc. attachment to this form.	luding schedules and costs (capital and O&M) for each phase, as an
Does Project require multiple phases of construction?	No
No. of anticipated construction phases:	N/A
Description of phases:	N/A
	21/2
Phasing timeline:	N/A
Total cost per phase:	N/A
Project phasing documentation attached?	No
Cost and Funding	
Total capital cost:	\$148,000 (for 7 transducers)
Total annual Operations & Maintenance (O&M) Cost:	\$6,000 (for 7 transducers)
Is the project Proponent providing a funding match to construct the project?	To Be Determined
Is there a funding source other than FCGMA for ongoing	
operation and maintenance costs?	N/A
Additional Benefits	
Does the project benefit disadvantaged or under-	
represented communities:	Yes
If yes, please describe the benefit(s):	Improves groundwater management in the basin, which includes underrepresented communities.
if yes, please describe the benefit(s).	includes underrepresented communities.
Project Proponent Contact Information	Response (Applicant to Complete)
Name:	Kim Loeb
Title:	Groundwater Manager
Organization:	Fox Canyon Groundwater Management Agency
Email:	kim.loeb@ventura.org

Page 2 of 3 rev. 8/29/2023

FOX CANYON GROUNDWATER MANAGEMENT AGENCY

800 S. Victoria Avenue | Ventura, CA 93009-1610 | Tel: (805) 654-2014 | FCGMA-GSP@ventura.org



Project Evaluation Checklist

Phone:	805-650-4083
Date:	9/29/2023

Page 3 of 3 rev. 8/29/2023

Installation of Transducers in Groundwater Monitoring Wells in the Pleasant Valley Basin

Description

This project proposes installation of transducers in seven representative monitoring points, or key wells in the Pleasant Valley Basin (PVB). The GSP determined that there were often temporal data gaps in the understanding of aquifer conditions in the PVB. These data gaps limit the number of wells that can be used to contour spring high and fall low groundwater conditions. The temporal data gaps have persisted in reporting groundwater levels in storage for the GSP annual reports. Additionally, as most key wells are agricultural irrigation wells, transducers will help assure that measured water levels are actual static water levels unaffected by recovery or potential well interference. The addition of transducers will help ensure that spring high and fall low water levels are collected from the representative monitoring points within a 2-week window, as recommended by DWR and will provide a clearer understanding of groundwater conditions during the spring and fall measurement events. This will allow a better comparison for annual change in storage estimates and will facilitate better management of the PVB.

Relationship to Sustainability Criteria

Relationship to Minimum Thresholds

This project does not have a direct influence on the minimum thresholds. It will, however, provide data that can be used to help evaluate and potentially revise the minimum thresholds in the future.

Relationship to Measurable Objectives

This project does not have a direct influence on the measurable objectives. It will, however, provide data that can be used to help evaluate and potentially revise the measurable objectives in the future.

Expected Benefits

The expected benefit of this project is to provide data that data can be used make better informed management decisions depending on the observed groundwater conditions.

Timetable for Implementation

Installation of transducers can be completed within a 2-year timeframe.

Economic Factors and Funding Sources

The capital cost is anticipated to be approximately \$148,000 for seven well locations, with an annual O&M cost of approximately \$6,000. Funding sources include the Fox Canyon Groundwater Management Agency and DWR TSS or SGM grant funds.